

Breese, Illinois

Ceserean Section - Preoperative

Order Set Directions:

 = Performance Indicator

(√)-Check orders to activate. Orders with a pre-checked box will be followed unless lined out.
Initial every order page & Sign, date, and time the last page.

Ht _____ Wt _____

Allergies

- NKDA
- Other _____

Nursing Orders

- Perform electronic fetal monitoring for 30 minutes
- Fetal heart tone auscultation prior to surgical scrub
- Bedside ultrasound to confirm position when indication for C/Section is malpresentation
- Intermittent pneumatic compression
- Foley catheter after regional anesthesia
- If patient is HIV positive, initiate AZT protocol
- Bedside glucose prior to surgery if the patient is diabetic

Respiratory

- Incentive spirometry – Respiratory Therapist to instruct

IV Fluids

- Lactated Ringers Solutions - bolus 1,000 ml prior to transport to O.R., then 150 ml/hour

Medications

sodium citrate-citric acid (BICITRA)

- 15 ml PO once with water

cefazolin (ANCEF)

- 2 gram IVPB once within 1 hour of incision
- If Penicillin allergic and reaction is rash, give cefazolin (ANCEF)
- If Penicillin allergic and reaction is hives, swelling, or anaphylaxis, then give clindamycin (CLEOCIN) and aztreonam (AZACTAM)

clindamycin (CLEOCIN)

- 900 mg IVPB once within 1 hour of incision

aztreonam (AZACTAM)

- 2 gram IVPB once within 1 hour of incision

Laboratory

- Type and screen
- Type and cross match 2 units on hold
- Complete blood cell count (CBC)
- Prothrombin time (PT)
- Partial thromboplastin time (PTT)
- Basic metabolic panel (BMP)
- Comprehensive metabolic panel (CMP)
- Urinalysis (UA) with microscopy
- Drug screen
- Prenatal panel 1A if no prenatal record
- Rapid HIV STAT if none done prenatally

Consults

- Consult to anesthesiology

Other Orders

Provider Signature: _____ Date: _____ Time: _____

